

NCDOT Prioritization 3.0 Project Summary

SPOT ID: B141785 Mode: Bicycle & Pedestrian Status: Submitted

Spence Ave

From/Cross Street: existing US 70 Bypass

To: US 70 Business (Ash Street)

Length: 1.5

Specific Improvement Type: 5. Construct Sidewalk

Project Category: Division Needs


TIP#:

Cost to NCDOT: \$600,000

Fully Funded in Draft STIP? No

Description:

Construct new sidewalk on both sides.



06/02/2014 09:32 AM BikePed **1/4**

Statewide Mobility Total Score		
Quanitative Score	Division Engineer Local Input Points	MPO/RPO Local Input Points
N/A		

Regional Impact Total Score		
Quanitative Score	Division Engineer Local Input Points	MPO/RPO Local Input Points
	N/A	•

Quantitative Score		Division Engineer Local Inputs Points	MPO/RPO Local Input Points
Access (10%) Constructability (5%) Safety (15%) Demand/Density (10%) Benefit/Cost (10%)	58.50 75.00 62.50 57.05 38.52	Percent: 25% Points:	Percent: 25% Points:

06/02/2014 09:32 AM BikePed **2/4**

Project Data

Data:

Name of Adopted Plan:	Goldsboro Bicycle Pedestrian and Greenway Plan and LRTP
Discussed with Division:	1
Within 2 mi. of K-8 School?	0
Municipality:	City of Goldsboro
Distance to Primary Destination:	0.09
# Major Centers:	3
# Secondary Centers:	1
Right-of-Way % Acquired:	100
PE / Desgin % Completed:	0
Environmental Doc. Type:	Categorical Exclusion Type I/II
Bicycle Crashes:	1
Pedestrain Crashes:	7
Exisiting Speed Limit:	35
Persons per Square Mile:	1073.95
Employees per Square Mile:	2730

Project Cost:

Construction Cost:	\$528,000
Right-of-Way Cost:	\$0
Remaining PE/Design Cost:	\$72,000
Total Project Cost:	\$600,000
Other Funding:	\$0
Other Funding Source:	
Cost to NCDOT:	\$600,000

Project Ownership:

First Divsion:	Division 4
First Division %:	100
Second Divsion:	
Second Division %:	0
Third Division:	
Third Division %:	0
First MPO/RPO:	Goldsboro Urban Area MPO
First MPO/RPO %:	100
Second MPO/RPO:	
Second MPO/RPO %:	0
Third MPO/RPO:	
Third MPO/RPO %:	0

06/02/2014 09:32 AM BikePed **3/4**



06/02/2014 09:32 AM BikePed **4/4**